

MAHARSHI DAYANAND UNIVERSITY ROHTAK

NOTICE INVITING QUOTATION

Sealed quotations are invited on behalf of the Registrar, MDU, Rohtak from the Govt. agencies, manufacturers/authorized dealers/dealers for the following works:

Sr. no.	Name of work	App. Amt. (Rs. in lac)	Earnest money (Rs.)	Time limit
1.	Providing and placing furniture in the Extension of Faculty Guest House	24.00	48,000/-	15 days
2.	Providing and fixing / placing electrical / electronic equipment in Extension of Faculty Guest House	10.00	20,000/-	15 days

CONDITIONS:

1. The quotation in the DNIQ format placed on University web site i.e. www.mdurohtak.ac.in alongwith the relevant documents should be submitted by 01.03.2012 upto 2:00 p.m. in the box kept in the office of the Registrar for the purpose.
2. The quotation will be opened in the committee room of Vice-Chancellor office at 3:00 P.M. on the same date in the presence of the agencies or their representative/s who may like to be present at that time.
3. After finalization of the agency/dealer on lowest quotation basis or further negotiation if any and before starting the work, 5% performance security of the contract cost will be required to be deposited by that firm in the shape of the Demand Draft in favour of the Executive Engineer, MDU, Rohtak payable at Rohtak.
4. The agencies may attend the pre-bid meeting for any clarification at 12:30 P.M. on 01.03.2012 in the office of T.A. to Vice-Chancellor in the Engineering Cell.
5. The tenderers are advised to visit the site sufficiently in advance to the date fixed for submission of the quotation. The agency shall be deemed to have full knowledge of all the relevant documents, samples, sites etc. whether he/she inspects them or not.
6. 10% security will be deducted from the running bills subjected to the maximum of 10% of the contract cost (5% performance security will be adjusted in this 10% security) and it will be refunded as under:-
 - i) 75% of the security deducted will be refunded after three months of the completion of the project.
 - ii) Balance 25% will be refunded after one year of completion of work subject to the clearance of final bill before the release of security.
7. Complete DNIQ (Detailed Notice Inviting Quotation) alongwith eligibility criteria/terms & conditions can be seen in the office of undersigned on any working day during office hours (9:00 AM to 5:00 PM) and on University Website – www.mdurohtak.ac.in

Contd.....P/2....

8. The agencies will keep in touch with the University Web site for any change in the NIQ/DNIQs till the last date / revised last date of sale of tender and incorporate such changes in NIQ/DNIQ and the tender bids.
9. The contractor should submit the following documents with the quotations:
 - (i) Proof of enlistment/registration/manufacturer/authorized dealership (all as applicable) with copy of self attested PAN card
 - (ii) One successfully work done certificate (similar nature) of 80% of the estimated cost of this tender during the last five years (Financial Year 2006-07 to 2010-11).

or

Two successfully work done certificates (similar nature) of 60% of the estimated cost of this tender during the last five years (Financial Year 2006-07 to 2010-11)

or

Three successfully work done certificate (similar nature) of 40% of the estimated cost of this tender during the last five years (financial year 2006-07 to 2010-11)
 - (iii) Copy of latest income tax return.
 - (iv) The turnover of the agency should be of equal amount of each tender for last 5 years for similar work duly audited by Chartered Accountant.
 - (v) The agency should submit copy of Sale Tax Registration certificate.

All these certificates / documents should be submitted duly self attested with stamp.
10. In case quotation day happens to be a holiday, the quotations will be received / opened on next working day at the same time.
11. Quotation having conditional rebates shall be considered invalid and shall be out rightly rejected.
12. Any work, here quotation, may be withdrawn from further processing at any stage at the discretion of the competent authority without assigning any reason.
13. Engineer-in-Charge is competent to increase/ decrease the quantity of work. In case of decrease of quantity, the agency shall have no claim to any payment or compensation whatsoever on account of any profit or advantage which he might have derived from the execution of the work in full.
14. Nothing extra whatsoever shall be paid on account of losses, damages done by rains or any other natural calamity.
15. The tender will be out rightly rejected if the tender is found in variance of the above conditions or the conditions of the DNIT.
16. The University reserves the right to accept or reject or negotiate any of the quotation or conditions/items without assigning any reason.

17. The agencies shall paste the cello tape on the rates quoted by them.

18. Name of work should be mentioned on the envelope alongwith the date and time of opening and the envelope sealed properly by pasting cello tape.

Executive Engineer

Endst. No. EE/ 2012 / 1333-65

Dated: .02.2012

A copy of the above is forwarded to the following for information and necessary action:-

1. Superintending Engineer, PWD B&R Circles, Rohtak
2. Technical Advisor to VC, MDU, Rohtak
3. Executive Engineer, PWD B&R (Medical College), Rohtak
4. Executive Engineer, KUK / HAU, Hisar / GJU, Hisar / CDLU, Sirsa
5. Secretary to Vice-Chancellor (for kind information of the Vice-Chancellor), M. D. University, Rohtak
6. P.A. to Registrar (for kind information of Registrar), MDU, Rohtak
7. SDE(C-I, II, III) / SDE (E-I) / SDE (PH) / SDE (Horti.-I, II), MDU, Rohtak
8. Divisional Accountant / H.D.M., Engineering Cell, MDU, Rohtak
9. Notice Board
10. Contractor/Agency/Society:_____

Executive Engineer

DETAILED NOTICE INVITING QUOTATIONS

NAME OF WORK : PROVIDING AND PLACING FURNITURE IN EXTENSION OF FACULTY GUEST HOUSE IN MDU, ROHTAK App. Amt. Rs. 24.00 lac
 Earnest money Rs. 48,000/-
 Time limit : 15 days

Sr. no.	Qty.	Description	Rate to be quoted by the contractor /agency (Rs.)	Unit
		GROUND FLOOR		
1.	02 nos.	BEDS: (A) C.M. / Governor Suite: (i) Bed Aura (make: Godrej Interio) SIZE: a) King Bed : H 1090 x W 1920 x L 2240		Each
	04 nos.	b) Bedstead: H 355 x W 1829 x L 2001 (ii) Bed Side Table Aura (Make: Godrej Interio) a) size : H 485 x W 525 x D 400		Each
	02 nos.	(B) Governor / C.M.'s Secretary Room: (i) Bed Zurina (Make: Godrej Interio) SIZE:		Each
	04 nos.	a) King Bed : H 930 x W 1876 x L 2056 b) Bedstead: H 410 x W 1830 x L 1986 (ii) Bed Side Table Zurina (Make: Godrej Interio) a) size : H 510 x W 460 x D 461		Each
2.	04 nos.	SOFAS: (A) C.M. / Governor's Suite: (i) Tiger 3+1+1 seater(Make: Godrej Interio) Black PVC Upholstery : a) 1 seater : W 1010 x D 830 x H 800 b) 3 seater : W 1940 x D 830 x H 800		Each
	02 nos.	(ii) D Lion 2 seater (Make: Godrej Interio) Upholstery : a) 2 seater : W 1375 x D 880 x H 780 x seat H 450		Each
	02 nos.	(iii) D Lion 1 seater (Make: Godrej Interio) Upholstery : a) 1 seater : W 1000 x D 880 x H 780 x seat H 450		Each
	04 nos.	(B) C.M. / Governor's Secretary Rooms: Urban Sofa with Plain upholstery single seater Fabric Upholstery : (Make: Godrej Interio) 1 seater : W 920 x D 600 x H 860 x St. H 400		Each

Sr. no.	Qty.	Description	Rate to be quoted by the contractor /agency (Rs.)	Unit
3.	02 nos. 16 nos.	DINING TABLE: (A) C.M. / Governor's Suite: (i) Crescent Table (Make: Godrej Interio) Size : W 970 x D 2100 x H 750 (ii) Crescent Chair (Make: Godrej Interio) Size : W 460 x D 525 x H 921		Each Each
4.	10 nos. 02 nos. 02 nos.	CORNER TABLE: (A) C.M. / Governor Suite: (i) Edward (Make: Godrej Interio) Size : W 600 x D 600 x H 480 (ii) Bloom (Make: Godrej Interio) Size : W 500 x D 500 x H 428 (B) C.M. / Governor's Secretary Rooms: (i) Globe (Make: Godrej Interio) Size : W 450 x D 450 x H 528		Each Each Each
5.	04 nos. 02 nos.	COFFEE TABLE: C.M. / Governor's Suite: (i) Victoria (Make: Godrej Interio) Size : W 1200 x D 600 x H 450 (ii) Alice (Make: Godrej Interio) Size : W 1000 x D 650 x H 450		Each Each
6.	02 nos.	T.V. TROLLEY: Media Unit (Make: Godrej Interio) Size: W 1000 x D 500 x H 600		Each
7.	02 nos.	STUDY TABLE WITH CHAIR: Target Plus (Make: Godrej Interio) Table size: W 1120 x D 588 x H 760 Chair size : W 442 x D 467 x H 825		Each
8.	04 nos. 04 nos. 08 nos.	MATTRESS: Mattress (Make : Godrej Interio) (A) Amand plain (100 mm thick) Coir & foam Mattress of Size 1981mm x 914mm (B) Contour Euro top (200 mm thick) spring mattress 1981mm x 914mm Pillows/ cushions (make: Godrej Interio) Neck fine regular		Each Each Each

Sr. no.	Qty.	Description	Rate to be quoted by the contractor /agency (Rs.)	Unit
9.	16 nos. 08 nos. 32 nos.	FIRST / SECOND FLOOR: BEDS: (c) Guest Rooms (i) Single Bed Adriana (make: Godrej Interio) Size a) Single Bed : H 930 x W 1131 x L 2060 b) Bedstead: H 410 x W 916 x L 2010 (ii) Double Bed (Windsor) (make: Godrej Interio) Size a) King Bed : H 1120 x W 1870 x L 2050 b) Bedstead: H 410 x W 1829 x L 2001 (iii) Side Table (Windsor) (make: Godrej Interio) Size : H 526 x W 401 x D 452		Each Each Each
10.	32 nos. 16 nos.	SOFA (B) Guest Room: Urban Sofa with Plain upholstery single seater Fabric Upholstery : (make: Godrej Interio) 1 seater : W 920 x D 600 x H 860 x St. H 400 (B) Guest Rooms: Globe (make: Godrej Interio) Size : W 450 x D 450 x H 528		Each Each
11.	16 nos.	STUDY TABLE WITH CHAIR Target Plus (Make: Godrej Interio) Table size: W 1120 x D 588 x H 760 Chair size : W 442 x D 467 x H 825		Each
12.	16 nos.	T.V. TROLLEY Media Unit (Make: Godrej Interio) Size: W 1000 x D 500 x H 600		Each

Sr. no.	Qty.	Description	Rate to be quoted by the contractor /agency (Rs.)	Unit
13.	32 nos.	MATTRESS Mattress (Make : Godrej Interio) Amand plain (100 mm thick) Coir & foam Matters of size 1981mmx914mm		
14.	32 nos.	Pillows/ cushions (make: Godrej Interio) Neck fine regular		

*Dimensions are in mm.

**The items will be supplied as per entire satisfaction of Engineer-in-Charge.

***The agency shall be responsible for fixing / placing the items in the building as per direction of Engineer-in-Charge. No extra cost will be allowed on this account.

NOTE:-

1. The items will be supplied with test certificate of the materials incorporated where applicable. Testing of items will be got done as per IS standards as decided by Engineer-in-Charge. The Agency will bear the cost of testing.
2. The Agency may quote the rate of any / all items mentioned in the DNIQ and order will be issued on lowest rates basis of each item.
3. Certificate of the concerned Company/manufactures for items will be submitted by Agency at the time of supply / fabrication of items.
4. The University Committee may visit the manufacturers' factory / premises of authorized dealers for the items

DETAILED NOTICE INVITING QUOTATIONS

NAME OF WORK: PROVIDING AND PLACING / FIXING ELECTRICAL / ELECTRONIC EQUIPMENT IN EXTENSION OF FACULTY GUEST HOUSE
IN MDU, ROHTAK

App. Amt. Rs. 10.00 lac
Earnest money Rs. 20,000/-
Time limit : 15 days

Sr. no.	Qty.	Description	Rate to be quoted by the contractor /agency (Rs.)	Unit
		GROUND FLOOR		
		ELECTRICAL / ELECTRONIC EQUIPMENT		
1.	02 nos.	Providing & fixing decorative lighting fixtures complete in all respect including lamps or any other accessory required to the entire satisfaction of Engineer - in charge. a) Philips Aquafit Wall light CAT NO-343121186 Wattage: 9 W Class of protection: I Lamp holder: GX53 Light source: Energy saving Number of lamps: 2 Placement: Wall Power supply: 230 V Frequency: 50/60 Hz		Each
	02 nos.	(b) Philips Aquafit Wall light CAT NO-341311186 Bulb technology: fluorescent, 230 V Number of bulbs: 1 Fitting/cap: GX53 Wattage bulb included: 9 W Maximum wattage replacement bulb: 9 W Light color: 2700K warm white Lamp lifetime up to: 6,000 hrs IP code: IP44, protection against objects bigger than 1 mm, protection from splashed water Class of protection: I – earthed		Each
	4 nos.	(c) Philips Roomstylers classic Table lamp CAT NO- 369548686 Class of protection: II Collection Frequency: 50 Hz		Each

Contd....P/2....

Sr. no.	Qty.	Description	Rate to be quoted by the contractor /agency (Rs.)	Unit
	8 nos.	Indoor Lamp holder: E27 Light source: Standard light bulb Number of lamps: 1(Philips GLS 40W) Power supply: 230 V Style: classic Wattage: 60 W (d) Philips Roomstylers classic Wall light CAT NO- 369528686 Class of protection: I Frequency: 50 Hz Lamp holder: E27 Light source: Standard light bulb Number of lamps: 1(Philips GLS 40W) Placement: Wall Power supply: 230 V		Each
	04 nos.	(e) Philips Roomstylers classic Floor light CAT NO- 369538686 Class of protection: II Frequency: 50 Hz Lamp holder: E27 Light source: Standard light bulb Number of lamps: 1 (Philips GLS 40W) Power supply: 230 V Wattage: 75 W		Each
	04 nos.	(f) Philips SUSPENSION light CAT NO- 369508686 Class of protection: I Frequency: 50 Hz Lamp holder: E27 Light source: Standard light bulb Number of lamps: 1 (Philips GLS 40W) Power supply:220V- 240 V Wattage: 75 W		Each

Sr. no.	Qty.	Description	Rate to be quoted by the contractor /agency (Rs.)	Unit
	02 nos.	(g) Philips Roomstylers classic Pendant light CAT NO- 364914386 Class of protection: I Frequency: 50 Hz Lamp holder: E14 Light source: Standard light bulb Number of lamps: 5(Philips GLS 40W) Power supply: 230 V Wattage: 40 W		Each
	02 nos.	(h) Philips Roomstyler Ceiling Light CAT NO- 379330686 Mains power: 230 V, 50-60 Hz Number of bulbs: 8(Philips GLS 40W) Fitting/cap: E27 Maximum wattage replacement bulb: 40 W Class of protection: I – earthed		Each
	08 nos.	(i) Philips Roomstylers Wall light CAT NO- 379340686 Wattage: 8 W Class of protection: I Lamp holder: E27 Number of lamps: 1 (Philips GLS 40W) Power supply: 230 V Frequency: 50/60 Hz		Each
	04 nos.	(j) Philips Roomstylers contemporary Floor light CAT NO- 379340686 Class of protection: II Frequency: 50/60 Hz Lamp holder: E27 Light source: Standard light bulb Number of lamps: 1 (Philips GLS 40W) Power supply: 240 V Wattage: 150 W		Each

Contd...P/4...

Sr. no.	Qty.	Description	Rate to be quoted by the contractor /agency (Rs.)	Unit
	04 nos.	(k) Philips Roomstylers contemporary Ceiling light CAT NO-300688686 Class of protection: I Frequency: 50 Hz Lamp holder: E27 Light source: Standard light bulb Number of lamps: 1 (Philips GLS 60W) Power supply: 230 V Wattage: 100 W		Each
	02 nos.	(l) Philips Roomstylers classic Wall light CAT NO 364924386 Class of protection: I Frequency: 50 Hz Lamp holder: E14 Light source: Standard light bulb Number of lamps: 1(Philips GLS 40W) Placement: Wall Power supply: 230 V Wattage: 40 W		Each
	02 nos.	(m) Philips Table light CAT NO- 364140686 Wattage: 60 W Class of protection: II Lamp holder: E27 Light source: Energy saving Number of lamps: 1 (Philips GLS 40W) Power supply: 240 V Frequency: 50/60 Hz		Each
	02 nos.	(n) Philips Task Desk light CAT NO- 664408786 Class of protection: II Lamp holder: E27 Light source: Standard light bulb		

Contd...P/5...

Sr. no.	Qty.	Description	Rate to be quoted by the contractor /agency (Rs.)	Unit
	04 nos.	Number of lamps: 1 Frequency: 50/60 Hz Power supply: 240 V Wattage: 60 W (o) Philips Kettle HD4649/00 Materials: Heating element: Stainless steel, Housing: Polypropylene/ ABS, Switch & toolholder: Polypropylene Colour(s): White and grey Cordless Non slip feet Ergonomic grip Easy spout filling Wide opening lid Cord storage Automatic shut-off Boil-dry protection 360 degrees base Lid as well as spout filling Flat heating element Capacity: 1.7 l Power: 2400 W Cord length: 0.75 m Voltage: 220-240 V Frequency: 50-60 Hz		Each
2.	02 nos.	Providing & fixing 42" LED as per following specification : Panasonic VIERA TH-L42D25 Full-HD IPS LED LCD TV with Stylish Slim Design, 100Hz Motion Picture Pro and VIERA CAST Specifications Screen Size : 42" (106 cm) diagonal Viewing Angle : 178 degree Contrast (Dynamic) : 2,000,000:1 Resolution : Full-HD 1,920 x 1,080 (16:9) Applicable PC signals : VGA, WVGA, SVGA, XGA, WXGA, SXGA		Each

Contd....P/6...

Sr. no.	Qty.	Description	Rate to be quoted by the contractor /agency (Rs.)	Unit
		<p>VIERA Image Viewer (SD Card Input) : yes (AVCHD*/DivXHD/SD-VIDEO*/JPEG/MP3/AAC playback) (SDXC/SDHC compatible) 2 (1 rear, 1 side); AVCHD*/DivXHD/SD-</p> <p>USB: VIDEO*/JPEG/MP3/AAC Flash Memory/Keyboard/WiFi/HUB</p> <p>HDMI Input/ Support Feature: 3 (2 rear, 1 side)/ Audio Return Channel (Input 2) / Content Type (Any Input)</p> <p>Composite Video Input: Composite Video Input AV1/2/3: RCA phono type (1 side, 2 rear)</p> <p>Audio Input (for Video): AV1/2/3: RCA phono type connectors (L, R) (1 set side, 2 sets rear)</p> <p>Component Video Input : RCA phono type [Y , PB/CB, PR/CR] (1 set rear)</p> <p>PC Input: Mini D-sub 15-pin x 1 (rear)</p> <p>LAN Port: yes RCA phono type (1 rear)</p> <p>Digital Audio Output (Optical): 1, rear</p> <p>Headphone Jack: 1, side</p> <p>Dimensions (W x H x D) (w/o stand): 1,032 x 655 x 77 mm (Panel depth: 39 mm)</p> <p>Dimensions (W x H x D) (with stand): 1,032 x 697 x 329 mm</p> <p>Weight (w/o stand): 18.5 kg</p> <p>Weight (with stand): 21.5 kg</p> <p>Swivel Angle: ±15°</p>		
3.	02 nos.	<p>Providing & fixing 32" LED as per following specification :</p> <p>Panasonic: VIERA TH-L32X30D Saving Energy with High Image Quality IPS Alpha LED LCD Panel Dynamic Contrast 2,000,000:1</p> <p>Display Screen Size: 32" (80 cm) diagonal</p>		Each

Contd....P/6...

Sr. no.	Qty.	Description	Rate to be quoted by the contractor /agency (Rs.)	Unit
		<p>Viewing Angle : 178 degree Contrast (Dynamic) :2,000,000:1 Resolution: Full-HD 1,920 x 1,080 (16:9) Applicable PC signals: VGA, WVGA, SVGA, XGA, WXGA, SXGA VIERA Image Viewer (SD Card Input): yes (AVCHD*/DivXHD/SD-VIDEO*/JPEG/MP3/AAC playback) (SDXC/SDHC compatible) 2 (1 rear, 1 side); AVCHD*/DivXHD/SD-USB: VIDEO*/JPEG/MP3/AAC Flash Memory/Keyboard/WiFi/HUB HDMI Input/ Support Feature: 3 (2 rear, 1 side)/ Audio Return Channel (Input 2) / Content Type (Any Input) Composite Video Input: AV1/2/3: RCA phono type (1 side, 2 rear) Audio Input (for Video): AV1/2/3: RCA phono type connectors (L, R) (1 set side, 2 sets rear) Component Video Input: RCA phono type [Y , PB/CB, PR/CR] (1 set rear) PC Input: Mini D-sub 15-pin x 1 (rear) LAN Port: yes Monitor Out: RCA phono type (1 rear) Digital Audio Output (Optical): 1, rear Headphone Jack: 1, side Dimensions (W x H x D) (w/o stand): 1,032 x 655 x 77 mm (Panel depth: 39 mm) Dimensions (W x H x D) (with stand): 1,032 x 697 x 329 mm Weight (w/o stand): 18.5 kg Weight (with stand): 21.5 kg Swivel Angle: ±15°</p>		
4.	02 nos.	<p>HOME THEATER SYSTEM Panasonic : SC -BTT270 FULL HD 3D Blu-ray Disc™ Home Cinema System 1000 watt (RMS) 5.1 channel surround sound Output Channel : 5.1ch Total Power : 1000W Front : 160W x 2 (1kHz, 3ohms, 10% THD)</p>		Each

Contd....P/7...

Sr. no.	Qty.	Description	Rate to be quoted by the contractor /agency (Rs.)	Unit
	16 nos.	(c) Philips Kettle HD4649/00 Materials: Heating element: Stainless steel, Housing: Polypropylene/ABS, Switch & toolholder: Polypropylene Color(s): White and grey Cordless Non slip feet Ergonomic grip Easy spout filling Wide opening lid Cord storage Automatic shut-off Boil-dry protection 360 degrees base Lid as well as spout filling Flat heating element Capacity: 1.7 l Power: 2400 W Cord length: 0.75 m Voltage: 220-240 V Frequency: 50-60 Hz		Each
7.	16 nos.	Providing & fixing 32" LED as per following specification : Panasonic: VIERA TH-L32X30D Saving Energy with High Image Quality IPS Alpha LED LCD Panel Dynamic Contrast 2,000,000:1 Display Screen Size: 32" (80 cm) diagonal Viewing Angle : 178 degree Contrast (Dynamic) : 2,000,000:1 Resolution: Full-HD 1,920 x 1,080 (16:9) Applicable PC signals: VGA, WVGA, SVGA, XGA, WXGA, SXGA VIERA Image Viewer (SD Card Input): yes (AVCHD*/DivXHD/SD-		Each

Contd....P/9...

Sr. no.	Qty.	Description	Rate to be quoted by the contractor /agency (Rs.)	Unit
		<p>VIDEO*/JPEG/MP3/AAC playback) (SDXC/SDHC compatible) 2 (1 rear, 1 side); AVCHD*/DivXHD/SD-USB: VIDEO*/JPEG/MP3/AAC Flash Memory/Keyboard/WiFi/HUB HDMI Input/ Support Feature: 3 (2 rear, 1 side)/ Audio Return Channel (Input 2) / Content Type (Any Input) Composite Video Input: AV1/2/3: RCA phono type (1 side, 2 rear) Audio Input (for Video): AV1/2/3: RCA phono type connectors (L, R) (1 set side, 2 sets rear) Component Video Input: RCA phono type [Y , PB/CB, PR/CR] (1 set rear) PC Input: Mini D-sub 15-pin x 1 (rear) LAN Port: yes Monitor Out: RCA phono type (1 rear) Digital Audio Output (Optical): 1, rear Headphone Jack: 1, side Dimensions (W x H x D) (w/o stand): 1,032 x 655 x 77 mm (Panel depth: 39 mm) Dimensions (W x H x D) (with stand): 1,032 x 697 x 329 mm Weight (w/o stand): 18.5 kg Weight (with stand): 21.5 kg Swivel Angle: ±15°</p>		

* The items will be supplied as per entire satisfaction of Engineer-in-Charge.

** The agency shall be responsible for fixing / placing the items in the building as per direction of Engineer-in-Charge. No extra cost will be allowed on this account.

NOTE:-

1. The items will be supplied with test certificate of the materials incorporated where applicable. Testing of items will be got done as per IS standards as decided by Engineer-in-Charge. The Agency will bear the cost of testing.
2. The Agency may quote the rate of any / all items mentioned in the DNIQ and order will be issued on lowest rates basis of each item.
3. Certificate of the concerned Company/manufactures for items will be submitted by Agency at the time of supply / fabrication of items.
4. The University Committee may visit the manufacturers' factory / premises of authorized dealers for the items