



MAHARSHI DAYANAND UNIVERSITY ROHTAK

(A State University established under Haryana Act No. 25 of 1975)

NAAC accredited 'A' Grade

NOTICE INVITING TENDER

Sealed tenders on percentage basis are invited on behalf of the Registrar, MDU, Rohtak from distributors, manufacturers/authorized dealers/suppliers. The tender forms will be issued to the agencies up to the date of opening of tenders as mentioned against work by 12:00 Noon and will be received upto 2:00 P.M. in the office of the Registrar and opened at 3:00 P.M. on the same day in the Committee Room of Registrar's office in the presence of the tenderers or their authorized representatives, who may like to be present at that time. **The tender documents may be obtained from the office of the undersigned and the same be deposited in the office of the Registrar by the due date**

Sr. No.	Name of work	App. Amt. (Rs.in lac)	Earnest Money (Rs.)	Cost of tender form (Rs.)	Date of opening of tender	Time limit
1.	Supply of Electrical material in MDU, Rohtak	73,43,000/-	1,46,860/-	5,000/-	26.06.2014	45 days

CONDITIONS:-

1. Complete NIT / DNIT (Detailed Notice Inviting Tender) alongwith eligibility criteria/terms & conditions can be seen in the office of undersigned on any working day during office hours (9:00 AM to 5:00 PM) and on University Website – www.mdurohtak.ac.in
2. The tenderer will keep in touch with the University Web site for any change in the NIT/DNITs till the last date / revised last date of sale of tender and incorporate such changes in NIT/DNIT and the tender bids.
3. Rates be quoted FOR Engineering Cell Store.
4. Supplies shall be executed within the time specified in the supply order which may be extended by the XEN on the application of the supplier explaining reasons/circumstances due to which time limit could not be adhered to. In the event of the supplier failing to supply the material within time, he shall be liable to pay as compensation an amount equal to one percent or such small amount as the Engineer-in-Charge may decide on the said amount of the contract, for every day that the quantity remains incomplete, provided that the entire amount of compensation shall not exceed 10% of the total amount of contract. An appeal against these orders shall, however, lie with the Vice-Chancellor whose decision shall be final.
5. The Engineer-in-charge shall have the right to reject any/all the tenders without cognizance reason.
6. The rates should be quoted strictly for the Makes mentioned in the DNIT.
7. At the time of purchase of tender documents, the contractors should submit the photo copy of PAN card.
8. All charges payable by the University should clearly be stated.

9. In case, the agency/manufacture backs out of his contract, the earnest money deposited by him shall be forfeited besides any other action as may be considered necessary by the Vice-Chancellor.
10. The acceptance of goods is subject to the approval of the Inspection Committee.
11. The rates accepted by the University shall be applicable upto 90 days and the supplier shall have to make supply during the period as and when required.
12. All disputes subject to Rohtak jurisdiction.
13. In case tendering day happens to be a holiday, the tenders will be received / opened on next working day at the same time.
14. Earnest money is to be deposited at the time of purchase of the tender. It should be in the shape of Demand Draft in favour of the Executive Engineer, MDU, Rohtak payable at Rohtak
15. Tender having conditional rebates shall be considered invalid and shall be out rightly rejected.
16. Any work, here tendered, may be withdrawn from further processing at any stage at the discretion of the competent authority without assigning any reason.
17. Engineer-in-Charge is competent to increase/ decrease the quantity of work. In case of decrease of quantity, the agency shall have no claim to any payment or compensation whatsoever on account of any profit or advantage which he might have derived from the supply of material in full.
18. Nothing extra whatsoever shall be paid on account of losses, damages done by rains or any other natural calamity.
19. The tender will be out rightly rejected if the tender is found in variance of the above conditions or the conditions of the DNIT.
20. The University reserves the right to accept or reject or negotiate any of the tender or conditions/items without assigning any reason.
21. The agencies shall paste the cello tape on the rates quoted by them.
22. Tender by post/telegraphic/courier shall out rightly be rejected.
23. Exemption of tender fee or earnest money or security will not be permitted in any case.

Executive Engineer(C-II)

A copy of the pre-page is forwarded to the following for information and necessary action:-

1. Superintending Engineer, PWD B&R Circles, Rohtak
2. Technical Advisor to VC, MDU, Rohtak
3. Executive Engineer(C-II), MDU, Rohtak
4. Executive Engineer, PWD B&R (Medical College), Rohtak / KUK / HAU. Hisar / GJU, Hisar / CDLU, Sirsa / BPS Women University, Khanpur/ DBSCRU, Murthal.
5. P.A. to Vice-Chancellor(for kind information of the Vice-Chancellor), M. D. University, Rohtak
6. P.A. to Registrar (for kind information of Registrar), MDU, Rohtak
7. SDE(C-I, II, III) / SDE (Elect) / SDE (PH) / SDE (Horti.-I, II), MDU, Rohtak
8. Divisional Accountant / H.D.M., Engineering Cell, MDU, Rohtak
9. Notice Board
10. Contractor/Agency/Society:_____

Executive Engineer(C-II)

DNIT FOR SUPPLY OF ELECTRICAL MATERIAL, MDU, ROHTAK

App. Amount : Rs. 73,43,000/-
Earnest Money : Rs. 1,46,860/-
Time limit : 45 days

Sr. No.	Description	Qty.	Individual Rate to be quoted by the contractor (Rs.)
1.	6 amp switch tinny one way Penta model 38014 Anchor make white	5000 nos.	
2.	6 amp 5 pin socket tinny Penta model 14304 Anchor make white	3000 nos.	
3.	6 amp two way tinny Penta model 38025 Anchor make white	500 nos.	
4.	20 amp switch Penta model 38477 Anchor make white	3000 nos.	
5.	20 amp socket Penta model 38524 Anchor make	3000 nos.	
6.	Batten holder Penta model 38538 Anchor make	500 nos.	
7.	6 amp Bell push tinny 38047 Anchor make	300 nos.	
8.	Surface pilot buzzer model 8374 Anchor make	90 nos.	
9.	SP MCB of various sizes Standard/Havells/ Indo Asian make (i) 10 amp (ii) 25 amp (iii) 32 amp (iv) 40 amp (v) 63 amp	1300 nos. 500 nos. 500 nos. 300 nos. 500 nos.	

Sr. No.	Description	Qty.	Individual Rate to be quoted by the contractor (Rs.)
10.	SPN MCB 40 amp Standard/Havells/ Indo Asian make	300 nos.	
11.	SPN MCB 63 amp Standard/Havells/ Indo Asian make	600 nos.	
12.	TPN MCB 40 amp Standard/Havells /Indo Asian make	200 nos.	
13.	TPN MCB 63 amp Standard/Havells / Indo Asian make	400 nos.	
14.	HPSV / M.H. choke 250 watt Philips make	50 nos.	
15.	MHT lamp 250 watt Philips/Havells make	80 nos.	
16.	Electronic igniter 70 watt to 400 watt Philips/Havells make	250 nos.	
17.	HPSV / M.H. choke 400 watt Philips/Havells make	300 nos.	
18.	MHT lamps 400 watt Philips/Havells make	400 nos.	
19.	Holder for Sodium lamp 150 /250 watt Porcelin	70 nos.	
20.	Ceiling fans condenser 2.5 mfd oil filled Tibcon/Jyoti make	1400 nos.	
21.	Ceiling fans condenser 3.15 mfd oil filled Tibcon / Jyoti make	1000 nos.	
22.	PVC tape roll of 3/4" x 10 mtrs / steel grip/Anchor make	2000 nos.	
23.	CFL 20 Watt Philips / Havells make	500 nos.	
24.	CFL 11 Watt Philips / Havells make	300 nos.	
25.	CFL 85 Watt E-40 Havells/ Philips make	600 nos.	
26.	CFL 45 Watt E-27 Havells/ Philips make	250 nos.	
27.	PL 4pin 36 Watt Philips/ Havells make	600 nos.	
28.	Electronic Choke 36 W Model SUMO Slim Philips/Havells make (of equal model/size).	400 nos.	

Sr. No.	Description	Qty.	Individual Rate to be quoted by the contractor (Rs.)
29.	Copper Choke 36/40 W Philips/Havells make	400 nos.	
30.	Tube rod 4' long 36 W Philips/Havells make	500 nos.	
31.	Tube starter 40 W Philips/Havells make	500 nos.	
32.	PVC copper wire with multi strand of sizes Havells/Polycab make (i) 1.5 sq mm (90 mtr. length each coil) (ii) 2.5 sq mm (90 mtr. length each coil) (iii) 4 sq mm (90 mtr. length each coil) (iv) 6 sq mm (90 mtr. length each coil) (v) 10 sq mm (100 mtr. length each coil) (vi) 16 sq mm (100 mtr. length each coil)	100 coils 35 coils 50 coils 25 coils 20 coils 5 coils	
	(vii) 25 sq mm (100 mtr. length each coil) (viii) 35 sq mm (100 mtr. length each coil) (ix) 50 sq mm (100 mtr. length each coil)	3 coils 3 coils 1 coil	
33.	2 core PVC aluminum wire 10 sq mm Kent / Plaza make (90 mtr. length each coil)	70 coils	
34.	Condenser 4 mfd Oil filled Tibcon/Jyoti make	150 nos.	
35.	T.P. switch with neutral link 200 amp / 415 Volt side handle double break with 3 nos. HBC fuse Standard/Havells make	20 nos.	
36.	T.P. switch with neutral link 100 amp / 415 volt side handle double break with 3 nos. H.B.C. fuse Standard/Havells make	20 nos.	
37.	T.P. switch with neutral link 320/300 amp / 415 volt side handle double break with 3 nos. H.B.C. fuse Standard/Havells make	8 nos.	

Sr. No.	Description	Qty.	Individual Rate to be quoted by the contractor (Rs.)
38.	T.P. switch with neutral link 400 amp / 415 volt side handle double break with 3 nos. H.B.C. fuse Standard/Havells make	5 nos.	
39.	Aluminum thimble ASCON make of various size: (i) 25 sq mm (ii) 50 sq mm (iii) 70 sq mm (iv) 95 sq mm (v) 120 sq mm (vi) 150 sq mm (vii) 185 sq mm (viii) 240 sq mm (ix) 300 sq mm (x) 400 sq mm	200 nos. 200 nos. 200 nos. 200 nos. 200 nos. 200 nos. 200 nos. 200 nos. 200 nos. 200 nos.	
40.	Pliers insulated Taparia make 8" size.	20 nos.	
41.	Screw driver two in one C-905 (Taparia make)	20 nos.	
42.	CFL 65 watt single ended E-27 Havells/Havells make.	200 nos.	
43.	PVC aluminum wire multi strand of various sizes Plaza / Kent: (i) 1.5 sq mm (100 mtr. length each coil) (ii) 2.5 sq mm (100 mtr. length each coil) (iii) 4.0 sq mm (100 mtr. length each coil) (iv) 6.0 sq mm (100 mtr. length each coil) (v) 10 sq mm (100 mtr. length each coil)	30 coils 25 coils 15 coils 25 coils 15 coils	
44.	Electronic choke 28 w Philips/ Havells make	1500 nos.	

Sr. No.	Description	Qty.	Individual Rate to be quoted by the contractor (Rs.)
45.	Tube Holder of Bakelite Girish / Anchor	200 nos.	
46.	Tube Holder base of Bakelite	200 nos.	
47.	Bearing 6201ZZ NBC / SKF make	600 nos.	
48.	Bearing 6202ZZ NBC / SKF make	600 nos.	
49.	Ex. Fan 15" size 1370 RPM HEAVY Duty Model copper wounded double ball bearing Havells/Orient make	20 nos.	
50.	Ex. Fan 18" size 1370 RPM Heavy duty Model copper wounded double ball bearing Havells/Orient make	60 nos.	
51.	HT fuse wire 20 Amp.	5 kg.	
52.	Tube rod 28 W Philips/Havells make	1000 nos.	
53.	Submersible Desert Cooler water pump Make Little	50 nos.	
54.	Transparent perfix cover for 250 watt BGEST Bajaj fittings Bajaj make.	300 nos.	
55.	Reflector for 250 watt BGEST fittings Bajaj make	300 nos.	
56.	Running capacitor for AC 36 MFD EPCOS make (Aluminium cap)	10 nos.	
57.	Running capacitor for AC 40 MFD EPCOS make (Aluminium cap)	10 nos.	
58.	Running capacitor for AC 45 MFD EPCOS make (Aluminium cap)	10 nos.	
59.	Running capacitor for AC 50 MFD EPCOS make (Aluminium cap)	5 nos.	
60.	Running capacitor for AC 6/36 MFD EPCOS make (Aluminium cap)	5 nos.	

Sr. No.	Description	Qty.	Individual Rate to be quoted by the contractor (Rs.)
61.	Copper wire for fan rewinding: (i) 32 SWG BIC make (ii) 34 SWG BIC make (iii) 35 SWG BIC make	25 kg. 25 kg. 250 kg.	
62.	GAS for Air Conditioners (i) R-22 (ii) R-410 (iii) R-407	30 kg. 10 kg. 10 kg.	
63.	Starting relay 1622 for AC Technomech make	6 nos.	
64.	Starting capacitor 100/120 MFD Aluminum body Tibcon make	6 nos.	
65.	MCCB 100 A, 35 KA, 3 Pole (L & T make) Model – DU250 Cat. No.- CM980640000/Havells make Cat no. IHLANT0100#	30 nos.	
66.	6 sq mm 5 core – 3 phase unarmoured copper cable in double insulation – Make RR Cables/Havells/Polycab make	1 coil	
67.	Transformer oil make –APAR OIL /POWER OIL /TRANSOL	1 drum (200 ltrs.)	
68.	Epoxy compound straight cable joint kit for LT cables Raychem/Venus make (i) 240 sq mm (ii) 400 sq mm	2 nos. 2 nos.	
69.	MHT choke 150 watt E-40 Philips/Havells make	70 nos.	
70.	HPSV choke 150 watt Philips/Havells make	50 nos.	
71.	Louver Shutter for 15” Exhaust fan Aluminum	40 nos.	
72.	Louver Shutter for 18” Exhaust fan Aluminum	40 nos.	
73.	11 KV Male / Female copper contact heavy duty for G.O. Switches.	30 nos.	

Sr. No.	Description	Qty.	Individual Rate to be quoted by the contractor (Rs.)
74.	11 KV Pin Insulator Jayshree make	20 nos.	
75.	Porcelin Holder for CFL 45 watt E-27	300 nos.	
76.	XLPE HT cable straight joint kit 11 KV heat shrink, Raychem make: (i) 120 sq mm. (ii) 185 sq mm. (ii) 240 sq mm.	02 nos. 02 nos. 02 nos.	
77.	XLPE HT cable box kit for 11 KV Raychem make. Heat shrink (i) 120 sq mm. (a) Indoor joint (b) Outdoor joint (ii) 185 sq mm. (a) Indoor joint (b) Outdoor joint (ii) 240 sq mm. (a) Indoor joint (b) Outdoor joint	02 nos. 02 nos. 02 nos. 02 nos. 02 nos. 02 nos.	