# MAHARSHI DAYANAND UNIVERSITY ROHTAK (A State University established under Haryana Act No. 25 of 1975) NAAC Accredited 'A' Grade

## NOTICE INVITING QUOTATIONS

Sealed quotations are invited on behalf of the Board of Governors TEQIP-II, MDU, Rohtak for below noticed work from the contractors/societies/agencies on approved list of Haryana PWD B&R/P.H. Br., MES, General PWD of MDU, CPWD, autonomous bodies and other State/Centre Govt. Undertakings on letter head of the agency up to 11.04.2016 till 3.00 p.m. in the office of the Director UIET, M.D.University, Rohtak. The quotations will be opened on the same day at 4.00 p.m. in his office in the presence of the quotationers or their representative who may like to be present at that time:

| Sr.<br>No. | Name of work  | Description & Qty. | Approximate Amount in Rs | Time Limit | Date of opening             |
|------------|---|--------------------|--------------------------|------------|-----------------------------|
| 1.         | Providing and fixing Aluminum partition and False ceiling in various Labs in UIET | As per Annexure-1  | 27.00 lac                | 15 days    | 11.04.16<br>at<br>4.00 p.m. |

#### Conditions:

- 1. Complete NIQ /DNIQ (Detailed Notice Inviting Quotation) along with eligibility criteria/terms & conditions and changes if any can be seen in the office of undersigned on any working day during office hours (9.00 AM to 5.00 PM).
- 2. The work shall be carried out according to PWD Specifications as applicable to Haryana State.
- 3. 10% security will be deducted from your bills which will be refunded after three months from the date of completion of work.
- 4. The quotationers are required to attach the copy of Proof of enlistment and Copy of PAN card duly self attested.
- 5. In case tendering day happens to be a holiday, the tenders will be received/opened on next working day at the same time.
- 6. The defect liability period is 01 year from the date of completion of work.
- 7. Time limit is utmost important case and only those agencies/contractors must come forward who can complete the work well in time.
- 8. Validity of tender will be 90 days.
- 9. Conditional Quotation is liable to be rejected.

- 10. Any work, here tendered, may be withdrawn from further processing at any stage at the discretion of the competent authority without assigning any reason.
- 11. Undersigned is competent to increase/decrease the quantity of work. In case of decrease of quantity, the contractor shall have no claim to any payment or compensation whatsoever on account of any profit or advantage which he might have derived from the execution of the work in full.
- 12. Nothing extra whatsoever shall be paid on account of losses, damages done by rains or any other natural calamity.
- 13. The University reserves the right to accept or reject or negotiate any of the tender or conditions/items without assigning any reason.
- 14. The quotation is liable to be rejected if the quotation is found in variance of the above conditions or the conditions of the DNIQ.
- 15. Any other HSR/analytical rates/NS items rates beyond DNIQ is required as per site requirement will be charged on market rate approved by the competent authority.

Director (UIET) M.D.University Rohtak

Endst. No. EE/2016/ 535-45

Dated: 28 - 3, 16

A copy of the above is forwarded to the following for information and necessary action, please:-

- 1. Superintending Engineering, PWD B&R Circles, Rohtak
- 2. Executive Engineer, MDU, Rohtak
- 3. Executive Engineer, PWD B&R (Medical College), Rohtak
- 4. P.A. to Vice-Chancellor (for kind information of the Chairman, Board of Governors TEQIP-II), M.D. University, Rohtak
- 5. Notice Board
- 6. Website of M.D. University, Rohtak.

Director (UIET)
M.D.University Rohtak

### **ANNEXURE-1**

## **DETAILED NOTICE FOR INVITING QUOTATION**

Name of Work: Providing & Fixing False ceiling and aluminium partition in various Laboratories of UIET in M.D. University, Rohtak

Approximate Cost : Rs. 27.00 Lac

**Time Limit** 

: 15 days

| Sr. | HSR   | Descriptions   | Unit Qty. | Qty. | Rate to be quoted by Agency |           |
|-----|-------|--|-----------|------|-----------------------------|-----------|
| No. |       |  |           |      | In Figures                  | In Words  |
| 1   | 13.91 | Providing &fixing false ceiling with 12mm thick Gympsum Board fixed on M.S. Steel runners frame i/c cost of Screw angles, cleats, rawel plugs, with taping filling with Gypsum compound and applying priming coats, etc. complete in all respects.   | Sq.mtr.   | 488  |                             |           |
| 2   | 13.93 | Providing &fixing false ceiling with grooves with 12mm to 15mm thick, 600mmx600mm best quality mineral fiber tiles of approved make fixed on M.S. Steel runners frame i/c cost of Screw angles, cleats, rawel plugs, with taping and painting etc complete in all respects of approved by the Engineer-In-Charge   | Sq.mtr.   | 920  |                             |           |
| 3   | 16.30 | Painting two coats with plastic emulsion paint on walls on new work to give an even shade  | Sq.mtr    | 488  |                             | )<br>(40) |
| 4   | 17.95 | Providing and fixing aluminium work for doors widows, ventilators and partitions with extruded built up standard tubular sections/appropriate Z sections and other sections of approved make conforming to IS, 733 and IS: 1285 fixed with raw plugs and screws or with fixing clips or with expansion hold fasteners including necessary filling up of gaps at junctions at top, bottom, and sides with required neoprene felt, etc. aluminium sections shall be smooth, rust free straight mitered and jointed mechanically whenever required including cleat angle. Aluminium |           | 2130 |                             |           |

Dear More !



|   |       | Fixed Portion (Anodized aluminium                                   |         |     |   |     |
|---|-------|---|---------|-----|---|-----|
|   |       | transparent or dyed to required shade                               |         |     |   |     |
|   |       | according to IS: 1868, minimum                                      |         |     |   |     |
|   |       | anodic coating of grade AC 15 )                                     |         |     |   |     |
| 5 | 17.96 | Providing and fixing aluminium work                                 | kg      | 534 |   |     |
| 3 | 17.50 | for doors widows, ventilators and                                   |         |     |   |     |
|   |       | partitions with extruded built up                                   |         |     |   |     |
|   |       |   |         |     |   |     |
|   |       | standard tubular sections/appropriate                               |         |     |   |     |
|   |       | Z sections and other sections of                                    |         |     |   |     |
|   |       | approved make conforming to IS, 733                                 |         |     |   |     |
|   |       | and IS: 1285 fixed with raw plugs and                               |         |     |   |     |
|   |       | screws or with fixing clips or with                                 |         |     |   | 9   |
|   |       | expansion hold fasteners including                                  |         |     |   |     |
|   |       | necessary filling up of gaps at                                     |         |     |   |     |
|   |       | junctions at top, bottom, and sides                                 |         |     |   |     |
|   |       | with required neoprene felt, etc.                                   |         |     |   |     |
|   |       | aluminium sections shall be smooth,                                 |         |     |   |     |
|   |       | rust free straight mitered and jointed                              |         |     |   |     |
|   |       | mechanically whenever required                                      |         |     |   |     |
|   |       | including cleat angle. Aluminium snap                               |         |     |   | ii) |
|   |       | beading for glazing/penciling C.P.                                  |         |     |   |     |
|   |       | brass/stainless steel screws, all                                   |         |     |   |     |
|   |       | bruss/sturness sees,  |         |     |   |     |
|   |       | complete. Shutters of doors, windows &                              |         |     |   |     |
|   |       |   |         |     |   |     |
|   |       | ventilators including providing and fixing hinges/pivots and making |         |     |   |     |
|   |       | 117.11.18   |         |     |   |     |
|   |       | provision for fixing of fitting wherever                            |         |     |   | ×   |
|   |       | required including the cost of                                      |         |     |   |     |
|   |       | PVC/neoprene gaset required   |         |     |   |     |
|   |       | including aluminium fitting.  |         |     |   |     |
| 6 | 17.97 | Providing and fixing 12mm thick                                     | sq.mtr  | 192 |   |     |
|   |       | prelaminated particle board flat                                    |         |     |   |     |
|   |       | pressed three layer or grated wood                                  |         |     |   |     |
|   |       | particle board conforming to IS:12823                               |         |     |   |     |
|   |       | grade I type II in paneling fixed in                                |         |     |   | _   |
|   |       | aluminium doors. Windows shutters                                   |         |     | 2 |     |
|   |       | and partition frames with c.p.                                      |         |     |   |     |
|   | (b)   | brass/stainless steel screws etc.                                   |         |     |   |     |
|   | (0)   | complete  |         |     |   |     |
|   |       | Pre-laminated particle board with                                   |         |     |   |     |
|   |       | decorative lamination on the both                                   |         |     |   |     |
|   |       | Participal of   |         |     |   |     |
|   |       | side.  Providing and fixing glazing in                              | sq.mtr  | 295 |   |     |
| 7 | 17.98 | Trovianing area many 5  | 34.1110 | 233 |   |     |
|   |       | aluminium doors, windows, ventilator                                |         |     |   |     |
|   |       | shutter and partition s etc. with                                   |         |     |   |     |
|   |       | pvc/neoprene gasket etc. complete                                   |         |     |   |     |
|   |       | (cost of aluminium snap beading shall                               |         |     |   |     |
|   | (b)   | be paid in basic items)   |         |     |   |     |
|   | 1.    |   |         |     |   |     |

(b) be paid in basic iter

Not

|    |        | With float glass panes of 5.0mm thickness                              |      |     |     |
|----|--------|--|------|-----|-----|
| 8  | 17.82  | Supplying and fixing hydraulic door closer I.S.I. mark, with necessary | Each | 20  |     |
|    | (c)    | screws, etc. complete-   |      |     |     |
|    |        | I.S.I designation No. III (size of door                                |      |     |     |
|    |        | 851mm to 1000mm)   |      |     |     |
| 9  | 17.83  | Providing and fixing sliding bolt with                                 | Each | 30  | · m |
|    |        | nuts and screws, etc. complete-  |      |     |     |
|    |        | Aluminium  |      |     |     |
|    | (b) ii | Size 250mmx16mm  |      |     |     |
| 10 | NS     | Providing and fixing mortice lock                                      | Each | 20  |     |
|    |        | Gordrej or equalvent   |      |     |     |
| 11 | NS     | Providing and fixing Tower Bolt of                                     | Each | 28  |     |
|    |        | Aluminium, ISI mark, 200x10mm  |      |     |     |
| 12 | NS     | Providing and fixing Aluminium   | Each | 50  |     |
|    |        | Handle 200mm   |      |     |     |
| 13 | NS     | Removing & refixing fans & tube lights                                 | Each | 250 |     |

Van Marin